

LISTA SVIH OKANA - GTV

 EU funded project Projekat finansira Evropska Unija		WYG International part of the WYG group creative minds safe hands 	
Client/Klient		Consultant/Konsultant	
INFRASTRUCTURE PROJECTS FACILITY IN THE WESTERN BALKANS		WYG INTERNATIONAL UK	 INSTITUT ZA HIDROTEHNIKU GRAĐEVINSKOG FAKULTETA U SARAJEVU
Project/Projekat			
REGIONALNI SISTEM VODOSNABDIJEVANJA PLAVA VODA			
Project status/Tip Projekta	Drawing date /Datum crteža: 09.08.2011. Drawing approved/Crtež odobren: 23.11.2011.	Drawing status /Status Crteža FINAL	Drawing scale/Mjerilo crteža (Priloga)
GLAVNI PROJEKT			Format A3(420/297 mm)
Drawing name/Ime Priloga	Prepared by:  INSTITUT ZA HIDROTEHNIKU GRAĐEVINSKOG FAKULTETA U SARAJEVU Sijarica Tomica 1, Sarajevo, Bosna i Hercegovina teln./faks: 31 24 6460/7, 20 44 95, fpx: 402; e-mail: info@ihs.hr, info@ihs.ba © 1999-2009 IHS, IHS d.o.o. Sarajevo, Bosna i Hercegovina	Drawing no/ Prilog broj	
LISTA SVIH OKANA - GTV		2A.34	
		Sheet/List	Of/Ofd
		1	6

Tabela svih okana - glavni transportni vod

MULJNI ISPUSTI

R.br.	Stacionaža	Vrsta preljeva	DN/NP	Kota ispusta u oknu u osovini (m n.m.)	Kota ipusta na izlazu u osovini (m n.m.)	Kota muljnog ipusta na izlazu u osovini (žablji poklopac) (m n.m.)	Dužina odvodnog cjevovoda (m)	Prečnik i materijal odvodnog cjevovoda	Dionica	Općina
1	0+230,36	tip B	700/10	500.52	501.53	501.50	501.50	6.0	DOLAC	TRAVNIK
2	0+332,57	tip A	700/10	500.34	500.34	500.05	500.05	11.0	DOLAC	TRAVNIK
3	1+446.09	tip A	700/10	484.60	484.60	484.53	484.53	22.0	N.BILA	TRAVNIK
4	1+940.76	tip C	700/10	481.07	*		*	*	N.BILA	TRAVNIK
5	2+300.94	tip C	700/10	481.11	*		*	*	N.BILA	TRAVNIK
6	2+529.17	tip C	700/10	487.35	*		*	*	N.BILA	TRAVNIK
7	3+152.01	tip C	700/10	472.07	*		*	*	N.BILA	TRAVNIK
8	3+378.77	tip C	700/10	471.22	*		*	*	N.BILA	TRAVNIK
9	3+813.77	tip B	700/10	467.04	469.01	469.00	469.00	3.0	N.BILA	TRAVNIK
10	4+266,88	tip C	700/16	464.36	*		*	*	N.BILA	TRAVNIK
11	4+871,40	tip B	700/16	460.00	461.12	461.10	461.10	6.5	N.BILA	TRAVNIK
12	4+958.18	tip A	700/16	460.68	460.68	456.80	456.80	130.0	N. TRAVNIK	TRAVNIK
13	5+259,35	tip B	700/16	457.45	459.11	459.10	459.10	2.5	VITEZ	TRAVNIK
14	6+130,85	tip B	700/16	448.40	449.88	449.85	449.85	8.5	VITEZ	TRAVNIK
15	6+496,89	tip C	700/16	446.17	*		*	*	VITEZ	TRAVNIK
16	7+313,55	tip B	700/16	442.71	444.35	444.33	444.33	1.0	VITEZ	TRAVNIK
17	7+479,21	tip B	700/16	441.85	442.84	442.83	442.83	1.0	VITEZ	TRAVNIK
18	7+844,04	tip A	700/16	442.03	442.03	442.00	442.00	11.0	VITEZ	TRAVNIK
19	8+102,58	tip B	700/16	441.53	443.31	443.30	443.30	2.5	VITEZ	TRAVNIK
20	9+934,86	tip A	700/16	433.03	433.06	431.50	431.50	11.0	VITEZ	VITEZ
21	10+156,43	tip C	700/16	430.36	*		*	*	VITEZ	VITEZ
22	10+580,04	tip C	700/16	432.75	*		*	*	VITEZ	VITEZ
23	11+349,41	tip C	700/16	424.43	*		*	*	VITEZ	VITEZ
24	11+943,70	tip C	700/16	425.34	*		*	*	VITEZ	VITEZ
25	12+193,97	tip B	700/16	426.01	428.00	428.99	428.99	1.0	VITEZ	VITEZ
26	12+744,60	tip B	700/16	420.59	422.52	422.51	422.51	4.0	VITEZ	VITEZ
27	13+403,76	tip B	700/16	416.00	417.90	417.89	417.89	1.5	VITEZ	VITEZ
28	14+247,75	tip B	700/16	408.53	410.29	410.28	410.28	6.5	VITEZ	VITEZ
29	15+040,02	tip C	700/20	400.83	*		*	*	VITEZ	VITEZ
30	15+683,63	tip B	700/20	400.17	401.81	401.80	401.80	1.0	BUSOVAČA	VITEZ
31	16+623,74	tip B	700/20	392.20	394.02	394.00	394.00	3.5	BUSOVAČA	VITEZ
32	17+890,97	tip B	700/20	391.48	392.52	392.50	392.50	20.0	BUSOVAČA	VITEZ
33	17+984,04	tip B	700/20	392.86	393.52	393.50	393.50	25.0	BUSOVAČA	VITEZ
34	18+100,15	tip B	700/20	393.54	394.62	394.60	394.60	6.5	BUSOVAČA	VITEZ
35	18+716,91	tip B	700/20	379.31	382.65	382.63	382.63	9.0	BUSOVAČA	BUSOVAČA

R.br.	Stacionaža	Vrsta preljeva	DN/NP	Kota ispusta u oknu u osovini (m n.m.)	Kota ipusta na izlazu u osovini (m n.m.)	Kota muljnog ipusta na izlazu u osovini (žablji poklopac) (m n.m.)	Dužina odvodnog cjevovoda (m)	Prečnik i materijal odvodnog cjevovoda	Dionica	Općina
36	19+167,12	tip A	700/20	382.68	382.68	382.40	382.40	9.5	BUSOVAČA	BUSOVAČA
37	20+430,05	tip A	600/20	374.56	374.56	374.55	374.55	19.0	BUSOVAČA	BUSOVAČA
38	21+850,79	tip A	600/20	372.57	372.57	372.50	372.50	7.0	BUSOVAČA	BUSOVAČA
39	22+313,56	tip B	600/20	367.30	368.53	368.50	368.50	16.0	BUSOVAČA	BUSOVAČA
40	22+671,76	tip A	600/20	371.25	371.25	371.22	371.22	10.0	BUSOVAČA	BUSOVAČA
41	22+910,28	tip A	600/20	369.42	369.42	369.40	369.40	10.0	ZENICA	BUSOVAČA
42	24+131,77	tip B	500/20	366.19	367.52	367.50	367.50	8.5	ZENICA	BUSOVAČA
43	24+728,21	tip B	500/25	365.62	367.11	367.10	367.10	1.5	ZENICA	BUSOVAČA
44	25+910,46	tip A	500/25	354.28	354.28	354.16	354.16	10.5	ZENICA	BUSOVAČA
45	27+386,61	tip A	500/25	346.01	346.01	345.57	345.57	43.0	ZENICA	BUSOVAČA
46	27+603,95	tip A	500/25	340.86	342.79	342.66	342.66	12.0	ZENICA	ZENICA
47	27+856,93	tip A	500/25	357.43	357.43	342.31	342.31	15.0	ZENICA	ZENICA
48	28+002,89	tip A	500/25	353.76	353.76	351.37	351.37	11.0	ZENICA	ZENICA
49	28+411,56	tip B	500/25	346.25	348.07	348.05	348.05	10.0	ZENICA	ZENICA
50	28+720,74	tip A	500/25	345.19	345.19	345.09	345.09	10.0	ZENICA	ZENICA
51	29+508,40	tip A	500/25	340.12	340.12	340.12	340.12	4.0	ZENICA	ZENICA
52	29+685,56	tip A	500/25	343.74	343.74	342.50	342.50	9.0	ZENICA	ZENICA
53	29+938,44	tip A	500/25	345.97	345.97	345.50	345.50	6.0	ZENICA	ZENICA
54	31+217,93	tip C	500/25	337.47	*	*	*	*	ZENICA	ZENICA
55	31+415,88	tip B	500/25	324.05	324.47	327.35	327.35	23.0	ZENICA	ZENICA
56	32+009,24	tip A	500/20	366.25	366.25	366.24	366.24	7.5	ZENICA	ZENICA
57	32+457,29	tip C	500/20	371.02	*	*	*	*	ZENICA	ZENICA

* ispuštanje u okno, i odvodnja vode u prijemnik preko pumpe (tip C)

SEKSIONI ZATVARAČI

R.br.	Stacionaža	DN/NP	Kota terena	Kota osovine cijevi	Kota dna okna	Kota dna terena	Napomena	Općina
1	0+013.54	700/10	510.98	509.97	509.33	509.13	SEKSIONI - LEPTIRASTI	TRAVNIK
2	1+446.09	700/10	486.63	484.86	484.22	484.02	SEKSIONI - MULJNI A	TRAVNIK
3	2+529.17	700/10	480.18	478.62	477.98	477.78	SEKSIONI - MULJNI C	TRAVNIK
4	4+496.91	700/16	465.83	464.30	463.66	463.46	SEKSIONI	TRAVNIK
5	4+958.18	700/16	462.50	460.68	460.04	459.84	SEKSIONI - MULJNI A	TRAVNIK
6	5+259.35	700/16	460.00	457.72	457.08	456.88	SEKSIONI - MULJNI B	TRAVNIK
7	7+242.22	700/16	446.00	444.38	443.74	443.54	SEKSIONI	TRAVNIK
8	9+229,70	700/16	445.45	443.12	442.48	442.28	SEKSIONI	VITEZ

R.br.	Stacionaža	DN/NP	Kota terena	Kota osovine cijevi	Kota dna okna	Kota dna terena	Napomena	Općina
9	11+207.38	700/16	427.25	425.28	424.64	424.44	SEKCIONI	VITEZ
10	13+193.62	700/16	421.69	420.18	419.54	419.34	SEKCIONI	VITEZ
11	15+040.02	700/20	402.95	401.10	400.46	400.26	SEKCIONI - MULJNI C	VITEZ
12	17+028.83	700/20	397.80	395.84	395.20	395.00	SEKCIONI	VITEZ
13	19+007.24	700/20	386.64	385.06	384.42	384.22	SEKCIONI	BUSOVAČA
14	21+007.56	600/20	377.64	376.11	375.47	375.27	SEKCIONI	BUSOVAČA
15	22+671.76	600/20	373.50	371.47	370.83	370.63	SEKCIONI - MULJNI A	BUSOVAČA
16	24+662.95	500/25	369.10	367.57	367.01	366.81	SEKCIONI	BUSOVAČA
17	26+660.82	500/25	355.76	353.90	353.34	353.14	SEKCIONI	ZENICA
18	27+603.95	500/25	345.84	341.03	340.47	340.27	SEKCIONI - MULJNI B	ZENICA
19	27+662.60	500/25	346.79	344.67	344.08	343.88	KONTROLNO OKNO	ZENICA
20	28+678.57	500/25	351.50	349.60	349.01	348.81	KONTROLNO OKNO	ZENICA
21	29+686.44	500/25	345.95	343.91	343.35	343.15	SEKCIONI - MULJNI A	ZENICA
22	29+724.86	500/25	355.00	352.80	352.24	352.04	KONTROLNO OKNO - ODZRAČNI	ZENICA
23	31+218.14	500/25	341.26	337.64	337.08	336.88	SEKCIONI - MULJNI C	ZENICA
24	31+273.85	500/25	338.50	337.05	336.46	336.26	KONTROLNO OKNO	ZENICA
25	31+415.88	500/25	331.62	324.22	323.66	323.46	SEKCIONI - MULJNI B	ZENICA
26	32+753.26	500/25	416.82	414.88	414.32	414.12	KONTROLNO OKNO	ZENICA
27	32+777.24	500/25	416.00	414.88	414.32	414.12	KONTROLNO OKNO - ODZRAČNI	ZENICA

ODZRAČNI VENTILI

R.br.	Stacionaža	DN/NP	Kota terena	Kota osovine cijevi	Kota dna okna	Kota dna terena	Dimenzije okna a x b x h (m)	Napomena	Općina
1	0+236.01	700/10	502.81	502.50				MOSTOVSKI	TRAVNIK
2	0+340.67	700/10	502.50	502.83				MOSTOVSKI	TRAVNIK
3	0+347.90	700/10	501.90	500.06	499.44	499.24	2.15 x 2.3 x 2.37		TRAVNIK
4	1+465.17	700/10	486.68	487.96				MOSTOVSKI	TRAVNIK
5	1+499.54	700/10	487.61	485.26	484.64	484.44	2.15 x 2.3 x 2.37		TRAVNIK
6	2+076.72	700/10	488.30	486.73	486.11	485.91	2.15 x 2.3 x 2.38		TRAVNIK
7	2+326.37	700/10	486.00	484.44	483.82	483.62	2.15 x 2.3 x 2.39		TRAVNIK
8	2+646.16	700/10	482.38	480.84	480.22	480.02	2.15 x 2.3 x 2.40		TRAVNIK
9	3+197.62	700/10	476.00	474.44	473.82	473.62	2.15 x 2.3 x 2.41		TRAVNIK
10	3+424.62	700/10	474.58	473.03	472.41	472.21	2.15 x 2.3 x 2.42		TRAVNIK
11	3+824.98	700/10	471.13	469.42	468.80	468.60	2.15 x 2.3 x 2.43		TRAVNIK
12	4+347.48	700/16	467.60	466.04	465.42	465.22	2.15 x 2.3 x 2.44		TRAVNIK
13	4+879.41	700/16	462.84	461.49	460.87	460.67	2.15 x 2.3 x 2.45		TRAVNIK
14	5+267.74	700/16	459.97	458.28	457.66	457.46	2.15 x 2.3 x 2.46		TRAVNIK
15	6+143.68	700/16	452.93	451.16	450.54	450.34	2.15 x 2.3 x 2.47		TRAVNIK

R.br.	Stacionaža	DN/NP	Kota terena	Kota osovine cijevi	Kota dna okna	Kota dna terena	Dimenzije okna a x b x h (m)	Napomena	Općina
16	6+642.30	700/16	449.47	447.89	447.27	447.07	2.15 x 2.3 x 2.48		TRAVNIK
17	7+332.51	700/16	445.45	443.89	443.27	443.07	2.15 x 2.3 x 2.49		TRAVNIK
18	7+821.47	700/16	446.02	444.43	443.81	443.61	2.15 x 2.3 x 2.50		TRAVNIK
19	8+047.24	700/16	446.47	444.91	444.29	444.09	2.15 x 2.3 x 2.51		TRAVNIK
20	8+777.28	700/16	448.80	446.95	446.33	446.13	2.15 x 2.3 x 2.52		VITEZ
21	9+940.24	700/16	434.50	435.18				MOSTOVSKI	VITEZ
22	9+973.51	700/16	433.80	432.75	432.13	431.93	2.15 X 2.3 X 2.54		VITEZ
23	10+339.63	700/16	437.06	435.48	434.86	434.66	2.15 X 2.3 X 2.55		VITEZ
24	10+675.82	700/16	435.20	433.71	433.09	432.89	2.15 X 2.3 X 2.56		VITEZ
25	11+588.30	700/16	431.00	429.43	428.81	428.61	2.15 X 2.3 X 2.57		VITEZ
26	12+178.04	700/16	429.60	428.03	427.41	427.21	2.15 X 2.3 X 2.58		VITEZ
27	12+204.40	700/16	429.74	427.96	427.34	427.14	2.15 X 2.3 X 2.59		VITEZ
28	12+758.40	700/16	425.25	423.69	423.07	422.87	2.15 X 2.3 X 2.60		VITEZ
29	13+214.83	700/16	419.85	418.29	417.67	417.47	2.15 X 2.3 X 2.61		VITEZ
30	14+261.63	700/16	412.88	411.46	410.84	410.64	2.15 X 2.3 X 2.62		VITEZ
31	15+115.66	700/20	405.42	403.46	402.84	402.64	2.15 X 2.3 X 2.63		VITEZ
32	15+693.95	700/20	403.68	402.23	401.61	401.41	2.15 X 2.3 X 2.64		VITEZ
33	17+242.47	700/20	408.00	406.45	405.83	405.63	2.15 X 2.3 X 2.65		VITEZ
34	17+952.08	700/20	403.10	401.55	400.93	400.73	2.15 X 2.3 X 2.66		VITEZ
35	18+079.56	700/20	404.62	403.07	402.45	402.25	2.15 X 2.3 X 2.67		VITEZ
36	18+129.61	700/20	404.28	402.73	402.11	401.91	2.15 X 2.3 X 2.68		VITEZ
37	18+810.66	700/20	387.24	385.69	385.07	384.87	2.15 X 2.3 X 2.69		BUSOVAČA
38	19+185.91	700/20	385.42	383.93	383.31	383.11	2.15 X 2.3 X 2.70		BUSOVAČA
39	20+466.78	600/20	379.91	378.37	377.75	377.55	2.15 X 2.3 X 2.71		BUSOVAČA
40	21+962.20	600/20	377.00	375.24	374.62	374.42	2.15 X 2.3 X 2.72		BUSOVAČA
41	22+509.63	600/20	374.15	372.65	372.03	371.83	2.15 X 2.3 X 2.73		BUSOVAČA
42	22+684.31	600/20	373.62	372.03	371.41	371.21	2.15 X 2.3 X 2.74		BUSOVAČA
43	22+944.07	600/20	372.75	371.25	370.63	370.43	2.15 X 2.3 X 2.75		BUSOVAČA
44	24+380.91	500/25	371.08	369.63	369.01	368.81	2.15 X 2.3 X 2.76		BUSOVAČA
45	24+738.18	500/25	368.64	367.10	366.48	366.28	2.15 X 2.3 X 2.77		BUSOVAČA
46	25+987.09	500/25	360.10	358.69	358.07	357.87	2.15 X 2.3 X 2.78		BUSOVAČA
47	27+459.42	500/25	351.28	349.83	349.21	349.01	2.15 X 2.3 X 2.79		ZENICA
48	27+741.75	500/25	362.00	360.13	359.51	359.31	2.15 X 2.3 X 2.80		ZENICA
49	27+917.84	500/25	364.11	361.55	360.93	360.73	2.15 X 2.3 X 2.81		ZENICA
50	28+083.89	500/25	366.42	364.39	363.77	363.57	2.15 X 2.3 X 2.82		ZENICA
51	28+587.42	500/25	359.00	357.25	356.63	356.43	2.15 X 2.3 X 2.83		ZENICA
52	29+724.05	500/25	355.00	352.80	352.18	351.98	2.44 X 2.0 X 3.60	KONTROLNO OKNO	ZENICA
53	30+163.54	500/25	355.89	354.14	353.52	353.32	2.15 X 2.3 X 2.85		ZENICA
54	31+903.28	500/20	378.14	375.88	375.26	375.06	2.15 X 2.3 X 2.86		ZENICA
55	32+250.34	500/20	376.23	374.54	373.92	373.72	2.15 X 2.3 X 2.87		ZENICA
56	32+777.24	500/20	416.00	414.88	414.26	414.06	2.15 X 2.3 X 2.88		ZENICA

MJERAČI PROTOKA

R.br.	Stacionaža	DN/NP	Kota terena	Kota osovine cijevi	Dimenzije okna a x b x h (m)	Tip mjerača
1	0+037.60	700/10	509.00	507.82	U sklopu sandučaste zaštite cjevovoda	ULTRAZVUČNI
2	22+521.00	600/20	374.12	372.61	2.2 x 1.9 x 2.22	ULTRAZVUČNI
3	32+756.26	500/20	416.00	414.88	2.2 x 1.9 x 2.22	ULTRAZVUČNI

REGULATOR PROTOKA

R.br.	Stacionaža	DN/NP	Kota terena	Kota osovine cijevi	Dimenzije okna a x b x h (m)	Tip regulatora
1	32+764.26	350/20	416.00	414.88	3,40 x 2.23 x 1.93	IGLIČASTI VENTIL SA ELEKTRO POGONOM AUMA MATIC