









SPECIFIKACIJA ARMATURE STEPENIŠTA SA POTPORNIM ZIDOM

 EU funded project Projekat finansira Europska Unija		 WYG International part of the WYG group creative minds safe hands	
Client/Klient		Consultant/Konsultant	
INFRASTRUCTURE PROJECTS FACILITY IN THE WESTERN BALKANS		WYG INTERNATIONAL UK	 INSTITUT ZA HIDROTEHNIKU GRADEVINSKOG FAKULTETA U SARAJEVU
Project/Projekat			
REGIONALNI SISTEM VODOSNABDIJEVANJA PLAVA VODA			
Project status/Tip Projekta	Drawing date /Datum crteža: 09.05.2011. Drawing approved/Crtež odobren: 09.06.2011.	Drawing status /Status Crteža FINAL	Drawing scale/Mjerilo crteža (Priloga)
GLAVNI PROJEKT			Format A3(420/297 mm)
Drawing name/Ime Priloga	Prepared by:		Drawing no/ Prilog broj
SPECIFIKACIJA ARMATURE STEPENIŠTA SA POTPORNIM ZIDOM	 INSTITUT ZA HIDROTEHNIKU GRADEVINSKOG FAKULTETA U SARAJEVU Stjepana Tomića 1, Sarajevo, Bosna i Hercegovina Tel./Fax: 21 24 66/67; 20 44 95; FB: 405; E-mail: hies@hes.com.ba ID broj: 4200689/1003, PDV broj: 25000991003, Broj upisa u sudski registar: 16/611063		3.11.1
		Sheet/List	Of/Od
		1	4










Specifikacija armature

1

Šipke - specifikacija					
ozn.	oblik i mere [cm]	Ø	lg [m]	n [kom]	lg _n [m]
Vanjsko stepeniste (1 kom)					
1		10	2.66	42	111.72
2		10	2.43	1	2.43
3		10	2.21	1	2.21
4		10	1.89	1	1.89
5		8	1.50	22	33.00
6		12	2.38	4	9.52
7		8	1.13	41	46.33
8		12	1.75	4	7.00
9		12	1.60	2	3.20
10		12	2.50	2	5.00

Specifikacija armature

2

Šipke - specifikacija					
ozn.	oblik i mere [cm]	Ø	lg [m]	n [kom]	lg _n [m]
11		10	1.73	10	17.30
12		10	5.23	10	52.30
13		8	1.40	40	56.00
14		8	2.07	12	24.84
15		10	1.73	10	17.30
16		8	1.20	12	14.40
17		8	1.80	12	21.60
18		8	1.65	12	19.80
19		8	1.73	7	12.11
20		12	3.13	2	6.26
21		12	3.26	2	6.52

Specifikacija armature

Šipke - rekapitulacija			
Ø [mm]	lgn [m]	Jedinična težina [kg/m']	Težina [kg]
RA2			
8	228.08	0.41	92.37
10	205.15	0.63	129.86
12	37.50	0.91	34.16
Ukupno			256.39

Specifikacija armature

Mreže - specifikacija						
Pozicija	Oznaka mreže	B [cm]	L [cm]	n	Jedinična težina [kg/m2]	Ukupna težina [kg]
Vanjsko stepeniste (1 kom)						
I-1	Q-257	173	147	2	4.20	21.23
I-2	Q-257	215	146	4	4.20	52.92
I-3	Q-257	215	139	2	4.20	25.12
I-4	Q-257	215	173	5	4.20	78.11
I-5	Q-257	105	173	1	4.20	7.60
I-6	Q-257	215	173	6	4.20	93.73
I-7	Q-257	215	57	1	4.20	5.17
I-8	Q-257	215	57	1	4.20	5.19
I-9	Q-257	215	58	1	4.20	5.21
I-10	Q-257	215	58	1	4.20	5.23
I-11	Q-257	180	58	1	4.20	4.39
I-12	Q-257	215	48	1	4.20	4.32
I-13	Q-257	215	48	1	4.20	4.34
I-14	Q-257	215	48	1	4.20	4.36
I-15	Q-257	215	48	1	4.20	4.38
I-16	Q-257	168	49	1	4.20	3.44
I-17	Q-257	215	79	1	4.20	7.16
I-18	Q-257	215	80	1	4.20	7.18
I-19	Q-257	215	80	1	4.20	7.20
I-20	Q-257	215	80	1	4.20	7.22
I-21	Q-257	180	80	1	4.20	6.06
Ukupno						359.55

Mreže - rekapitulacija					
Oznaka mreže	B [cm]	L [cm]	n	Jedinična težina [kg/m2]	Ukupna težina [kg]
Q-257	215	600	7	4.20	379.26
Ukupno					379.26

Mreže - plan sećenja
Vanjsko stepeniste
Q-257

